

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("20010032237").PN.	US-PGPU B; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 09:15
L2	18692337	@ad<"20000104"	US-PGPU B; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/24 09:15
L3	2990961	@ad<"20000104"	US-PGPU B; USPAT	AND	ON	2005/10/24 09:16
L4	8630	I3 and (ISP or (internet with service with provider))	US-PGPU B; USPAT	AND	ON	2005/10/24 09:16
L5	1	I3 and (ISP or (internet with service with provider)) and (settings or (configurat\$ near settings)) and detect\$ with setup near information	US-PGPU B; USPAT	AND	ON	2005/10/24 09:20
L6	0	I3 and "709"/\$.ccls. and (ISP or (internet with service with provider)) and (settings or (configurat\$ near settings)) and detect\$ same setup near information	US-PGPU B; USPAT	AND	ON	2005/10/24 09:21
L7	0	I3 and "709"/\$.ccls. and (ISP or (internet with service with provider)) and detect\$ same setup near information	US-PGPU B; USPAT	AND	ON	2005/10/24 09:21
L8	101	I3 and "709"/\$.ccls. and (ISP or (internet with service with provider)) and (detect\$ or monitor) same (settings or (setup near information))	US-PGPU B; USPAT	AND	ON	2005/10/24 09:22

L9	25	I3 and "709"/\$.ccls. and (ISP or (internet with service with provider)) and (detect\$ or monitor) same (settings or (setup near information)) and (automatic\$ or update) same (settings or (setup near information))	US-PGPU B; USPAT	AND	ON	2005/10/24 09:23
L10	25	I3 and "709"/\$.ccls. and (ISP or (internet with service with provider)) and (detect\$ or monitor) same (settings or (setup near information)) and (automatic\$ or update or reconfig\$) same (settings or (setup near information))	US-PGPU B; USPAT	AND	ON	2005/10/24 09:55
L11	22	I3 and "709"/\$.ccls. and (ISP or (internet with service with provider)) and (server or hub or router) and (detect\$ or notice or monitor) with (settings or (setup near information) or configuration) and (automatic\$ or update or reconfig\$) same (settings or (setup near information))	US-PGPU B; USPAT	AND	ON	2005/10/24 10:10
L12	22	I3 and "709"/\$.ccls. and detect\$ with (settings or configuration) with (difference or changes) same updat\$	US-PGPU B; USPAT	AND	ON	2005/10/24 10:10
L13	22	I3 and "709"/\$.ccls. and detect\$ with (settings or configuration) with (difference or changes) same (updat\$ or save or store)	US-PGPU B; USPAT	AND	ON	2005/10/24 10:16
L14	6	I3 and "709"/\$.ccls. and server same detect\$ with (settings or configuration) with (difference or changes) same (updat\$ or save or store)	US-PGPU B; USPAT	AND	ON	2005/10/24 10:16

S1	1868125 8	@ad<"20000104"	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/05/27 09:40
S2	2	("20010032237").PN.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/05/27 12:04
S3	5640	server same client same settings	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/05/27 10:51
S4	3	internet with service with provider with setup near (information or settings)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/05/27 10:52
S5	1	internet with service with provider with setup near (information or settings) and client same server	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/05/27 10:52
S6	9	internet with setup near (information or settings) and client same server	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/05/27 10:54

S7	1	S6 and S2	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/05/27 10:53
S8	3	S6 and S1	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/05/27 10:53
S9	5202	(setup or configur\$) with internet with server	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/05/27 11:27
S10	1066	S9 and S1	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/05/27 11:28
S11	217	S10 and client and (ISP or (internet near server near provider))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/05/27 11:28
S12	94	S10 and client and (ISP or (internet near server near provider)) and setup and connect\$	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/05/27 11:29

S13	20	S10 and client and (ISP or (internet near server near provider)) and setup and connect\$ and (generat\$ or creat\$) with (setup or settings)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/05/27 11:38
S14	2	("6543004").PN.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/05/27 11:38
S15	16	((Internet near service near provider) or ISP) with receive with request same (client or user) same (setting or configur\$)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/05/27 12:04
S16	4	S15 and S1	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	AND	ON	2005/05/27 12:04